6 ESAN: 250/562,757

PATENT (Confirmation No.: 7688 (Fu)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

ррпсані.

Jakob Vinten-Johnasen

Examiner:

Unassigned

Serial No.:

10/562,757

Group Art Unit:

Unassigned

Filed:

02 July 2004

Docket No.:

14507-53463

· Title:

COMPOSITIONS AND METHODS FOR USE OF A PROTEASE INHIBITOR AND

ADENOSINE FOR PREVENTING ORGAN ISCHEMIA AND REPERFUSION INJURY

CERTIFICATE UNDER 37 CFR 1.8:

I hereby certify that this correspondence is being deposited on September 19, 2006 with the United States Postal Service as first class mail, with sufficient postage, in an envelope addressed to Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

By:_

Name: Tim Tingkang Xia

TRANSMITTAL

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

We are transmitting herewith the attached:

Transmittal Sheet containing Certificate of Mailing (1 page)

Supplemental Information Disclosure Statement (37 C.F.R. § 1.97(b)) (2 pages)

Form PTO-1449 Listing Sixty-six (66) References (5 pages)

Return postcard

MORRIS, MANNING & MARTIN, LLP

1600 Atlanta Financial Center 3343 Peachtree Road NE Atlanta, Georgia 30326 404.495.3678

Customer No. 24728

By:

Name: Tim Tingkang Xia, Esq.

Reg. No.: 45,242

TTX

10/562,757

PATENT

Confirmation No.: 7688

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:

Jakob Vinten-Johnasen

Examiner:

Unassigned

Serial No .:

10/562,757

Group Art Unit:

Unassigned

Filed:

02 July 2004

Docket No.:

14507-53463

Title:

COMPOSITIONS AND METHODS FOR USE OF A PROTEASE INHIBITOR AND ADENOSINE FOR PREVENTING ORGAN ISCHEMIA AND REPERFUSION INJURY

CERTIFICATE UNDER 37 CFR 1.8:

I hereby certify that this correspondence is being deposited on September 19, 2006 with the United States Postal Service as first class mail, with sufficient postage, in an envelope addressed to Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Name: Tim Tingkang Xia

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Customer No. 24728

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT (37 C.F.R. § 1.97(b))

Dear Sir:

With regard to the above-identified application, the items of information listed on the enclosed Form 1449 are brought to the attention of the Examiner.

In accordance with 37 C.F.R. §1.98(a)(2), a copy of each non-U.S. patent document or other information listed on the enclosed Form 1449 is provided herewith, if applicable.

No representation is made that a reference is "prior art" within the meaning of 35 U.S.C. §§ 102 and 103 and Applicants reserve the right, pursuant to 37 C.F.R. § 1.131 or otherwise, to establish that the reference(s) are not "prior art." Moreover, Applicants do not represent that a reference has been thoroughly reviewed or that any relevance of any portion of a reference is intended.

Consideration of the items listed is respectfully requested. Pursuant to the provisions of M.P.E.P. 609, it is requested that the Examiner return a copy of the attached Form 1449, marked as being considered and initialed by the Examiner, to the undersigned with the next official communication.

Respectfully submitted,

MORRIS, MANNING & MARTIN, LLP

September 19, 2006

Tim Tingkang Xia, Esq.

Reg. No. 45,242

Attorney for Applicant on the Record

TTX

MORRIS, MANNING & MARTIN, LLP 1600 Atlanta Financial Center 3343 Peachtree Road, N.E. Atlanta, Georgia 30326-1044

Phone: 404-233-7000 Direct: 404-495-3678

Customer No. 24728

FORM-1449 INFORMATION DISCLOSURE STATEMENT	Docket Number: 14507-53463	Serial Number: 10/562,757
in an application	Applicant: Jakob Vinten-Johnasen	Date Mailed: September 19, 2006
SEP 2 1 2000 S(Use several sheets if necessary)	Filing Date: 02 July 2004	Group Art Unit: Unassigned

MAPPIN OFFIS			-U.S. PA	TENT DOCUMEN	TS			
EXAMINER INITIAL		DOCUMENT NO.	DATE	NAME	CLASS	SUBCLASS		DATE OPRIATE
				,				. ====
					1.			
. <u>.</u>								
		1	FOREIGN	PATENT DOCUM	LNTS			
		DOCUMENT	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
		NO.	DATE	COCIVIRI	CEASS	SODEL/135	1101110	
							YES	NO
								:
			٠					
		OTHER DOC	TIMENTS (In al.	ding Aushan Title F	l Note Destines	t Dogge Eta)		L
			•	iding Author, Title, D Gabazza EC, Zhou	-	•	ulatos tissua	e factor
	1	expression on en	dothelial cells. T	hromb Res 1998; 9	1 (2): 57-64	- آ		
	2			dachi Y, Suzuki K.				
	3	of tissue factor on endothelial cells by a nitric oxide-mediated mechanism. Clin Sci 2002; 102: 167-17. Kaur J, Woodman RC, Ostrovsky L, Kubes P. Selective recruitment of neutrophils and lymphocytes b						
				(Heart Circ Physiol) rrentino L, Maragan			in functions	
	4			ctivation of its recep				
		183 (3): 821-827.	7 O C-4- Ü T-	4 0 d) /:t	1 4	di 40		
Jordan JE, Zhao Z-Q, Sato H, Taft S, and Vinten-Johansen J. Adenosine A2 receptor act attenuates reperfusion injury by inhibiting neutrophil accumulation, superoxide generation								
				ol Exp Ther 1997;				
	6			en J. Adenosine a2 attenuating supero				
		(Suppl) 90 (No. 4,	Part 2), I- 372.	1994.		_		
	7			Fernandez AZ, Vinto to coronary endoti				
	'	H1464.	-meulaleu Irijury	to coronary endou	ionum. Am	o miyaldi 1880;	ZII (4 Pl. Z)	

EXAMINER	DATE CONSIDERED

FORM 1449	INFORMATION DISCLOSURE STATEMENT	Docket Number: 14507-53463	Serial Number: 10/562,757
IN AN APPLICATION		Applicant: Jakob Vinten-Johnasen	Date Mailed: September 19, 2006
(Use several sheets if necessary)		Filing Date: 02 July 2004	Group Art Unit: Unassigned

8	Zhao Z-Q, Nakamura M, Wang N-P, Wilcox JN, Shearer ST, Guyton RA Vinten-Johansen J. Administration of adenosine during reperfusion reduces injury of vascular endothelium and death of myocytes. Coron Artery Dis. 1999; 10 (8): 617- 28.
9	Zhao Z-Q, Todd JC, Sato H, Adenosine inhibition of neutrophil damage during reperfusion does not involve K (ATP)-channel activation. Am J Physiol 1997; 273(4 Pt.2):H1677-H1687.
10	Zhao Z-Q, Nakamura M, Wang N-P, Wilcox JN, Shearer ST, Katzmark S et al. Adenosine during early reperfusion reduces neutrophil-mediated necrosis, apoptosis and vascular dysfunction. FASEB Journal 13[4] A518. 1999.
11	Asimakopoulos G, Thompson R, Nourshargh S, Lidington EA, Mason JC, Ratnatunga CP et al. An anti-inflammatory property of aprotinin detected at the level of leukocyte extravasation. Journal Thoracic Cardiovascular Surg 2000; 120: 361-369.
12	Jennings RB, Reimer KA. Acute myocardial ischemia: effects of reperfusion with arterial blood. Artif Cells Blood Substit Immobil Biotechnol 1994; 22:253-278.
13	Reimer KA, Jennings RB. The "wavefront phenomenon" of myocardial ischemic cell death. Transmural progression of necrosis within the framework of ischemic bed size (myocardium at risk) and collateral flow. Lab Invest 1979; 40: 633-644.
14	Zhao Z-Q, Nakamura M, Wang N-P, Wilcox JN, Katzmark S, Guyton RA et al. Infarct extension and dynamic coronary endothelial dysfunction in the late reperfusion phase. Circulation 1998; 98 (17):1-796.:
15	Poullis M, Manning R, Laffan M, Haskard DO, Taylor KM, Landis RC. The antithrombotic effect of aprotinin: actions mediated via the protease- activated receptor 1. The Journal of Thoracic and Cardiovascular Surgery 2000; 120 (2): 370-378.
16	Kubes P. Polymorphonuclear leukocyte-endothelium interactions: a role for pro-inflammatory and anti-inflammatory molecules. [Review]. Can J Physiol Pharmacol 1993; 71: 88-97.
17	Deisher TA, Garcia I, Harlan JM. Cytokine-induced adhesion molecule expression on human umbilical vein endothelial cells is not regulated by cyclic adenosine monophosphate accumulation. Life Sci 1993; 53: 365-370.
18	Erlich JH, Boyle EM, Labriola J, Kovacich JC, Santucci RA, Fearns C et al. Inhibition of the tissue factor-thrombin pathway limits infarct size after myocardial ischemia-reperfusion injury by reducing inflammation. Am J Pathol 2000; 157(6):1849-1862.
19	Davenpeck KL, Gauthier TW, Albertine KH, Lefer AM. Role of selectin in microvascular leukocyte- endothelial interaction in ischemia- reperfusion. Am J Physiol 1994; 267: H622-30.
20	Foreman KE, Vaporciyan AA, Bonish BK, Jones ML, Johnson KJ, Glovsky MM et al. C5a-induced expression of P-selectin in endothelial cells. J Clin Invest 1994; 94 (3): 1147-1155.
_ 21	Lefer AM. Role of selectins in myocardial ischemia-reperfusion injury. [Review]. Ann Thorac Surg 1995; 60: 773-777.
22	Sheridan FM, Cole PG, Ramage D. Leukocyte adhesion to the coronary microvasculature during ischemia and reperfusion in an in vivo canine model. Circulation 1996; 93:1784-1787.
23	Lefer AM, Tsao PS, Lefer DJ, Ma X-L. Role of endothelial dysfunction in the pathogenesis of reperfusion injury after myocardial ischemia. FASEB J 1991; 5: 2029-2034.
24	Jordan JE, Zhao Z-Q, Vinten-Johansen J. The role of neutrophils in myocardial ischemia-reperfusion injury. Cardiovas Res 1999; 43: 860-878.
25	Lefer AM, Ma X-L, Weyrich A, Lefer DJ. Endothelial dysfunction and neutrophil adherence as critical events in the development of reperfusion injury. Agents Actions Suppl 1993; 41: 127-135.
26	Lefer DJ, Nakanishi K, Vinten-Johansen J, Ma X-L, Lefer AM. Cardiac venous endothelial dysfunction after myocardial ischemia and reperfusion in dogs. Am J Physiol 1992; 263:H850-H856.

EXAMINER	DATE CONSIDERED

FORM 1449	INFORMATION DISCLOSURE STATEMENT	Docket Number: 14507-53463	Serial Number: 10/562,757
IN AN APPLICATION		Applicant: Jakob Vinten-Johnasen	Date Mailed: September 19, 2006
(Use several sheets if necessary)		Filing Date: 02 July 2004	Group Art Unit: Unassigned

27	Boyle EM, Pohlman TH, Cornejo CJ, Verrier ED. Endothelial cell injury in cardiovascular surgery: Ischemia-reperfusion. Ann Thorac Surg 1996; 62:1868-1875.
28	Tsao PS, Aoki N, Lefer DJ, Johnson G, III, Lefer AM. <i>Time course of endothelial dysfunction and myocardial injury during myocardial ischemia and reperfusion in the cat.</i> Circulation 1990; 82: 1402-1412.
29	Geng J-G, Bevilacqua MP, Moore KL, McIntyre TM, Prescott SM, Kim JM et al. Rapid neutrophil adhesion to activated endothelium mediated by GMP- 140. Nat 1990; 343: 757-760.
30	Jerome SN, Dore M, Paulson JC, Smith CW, Korthuis RJ. <i>P-selectin and ICAM-1 dependent adherence reactions: role in the genesis of postischemic no-reflow.</i> Am J Physiol 1994; 266:H1316-21.
31	Kubes P, Jutila M, Payne D. <i>Therapeutic potential of inhibiting leukocyte rolling in ischemia/reperfusion J</i> Clin Invest 1995; 95: 2510-2519.
32	Golino P, Ragni M, Cirillo P, A, Ravera A, Buono C, Guarino A, Piro Lambiase C, Botticella F, Ezban M, Condorelli M, Chiariello M. <i>Recombinant human, active site-blocked factor VIIa reduces infarct size and no-reflow phenomenon in rabbits</i> . Am J Physiol Heart Circ Physiol. 2000; 278(5):H1507-16.
33	Zhao Z-Q, Nakamura M, Wang N-P, Velez DA, Hewan-Lowe KO, Guyton RA et al. <i>Dynamic</i> progression of contractile and endothelial dysfunction and infarct extension in the late phase of reperfusion. J Surg Res 2000; 94: 1-12.
34	Zhao Z-Q, Nakamura M, Wang N-P, Wilcox JN, Shearer S, Ronson RS et al. Reperfusion induces myocardial apoptotic cell death. Cardiovasc Res 2000; 45: 651-660.
35	Cronstein BN, Kramer SB, Weissmann G, Hirschhorn R. Adenosine: A physiological modulator of superoxide anion generation by human neutrophils. J Exp Med 1983; 158:1160-1177.
36	Cronstein BN, Rosenstein ED, Kramer SB, Weissmann G, Hirschhorn R. Adenosine: a physiologic modulator of superoxide anion generation by human neutrophils. Adenosine acts via an receptor on human neutrophils. J Immunol 1985; 135 (12): 1366-1371.
37	Jordan JE, Thourani VH, Auchampach JA, Robinson JA, Wang N-P, Vinten-Johansen J. A3 adenosine receptor activation attenuates neutrophil function and neutrophil-mediated reperfusion injury. Am J Physiol 1999; 277:H1895-H1905:
38	Olafsson B, Forman MB, Puett DW, Pou A, Cates CU, Friesinger GC et al. Reduction of reperfusion injury in the canine preparation by intracoronary adenosine: importance of the endothelium and the noreflow phenomenon. Circulation 1987; 76 (5): 1135-1145.
39	Toombs CF, McGee DS, Johnston WE, Vinten-Hohansen J. Myocardial protective effects of adenosine. Infarct size reduction with pretreatment and continued receptor stimulation during ischemia. Circulation 1992; 86: 986-994.
40	Budde JM, Velez DA, Zhao Z-Q, Clark KL, Morris CD, Muraki S et al. Comparative study of AMP579 and adenosine in inhibition of neutrophil-mediated vascular and myocardial injury during 24 hours of reperfusion. Cardiovas Res 2000; 47: 294-305.
41	Nakamura M, Zhao Z-Q, Clark KL, Guyton RA, Vinten-Johansen <i>J. AMP579, a new adenosine analog, inhibits neutrophil 02-generation, degranulation, adherence, and neutrophil-induced injury to coronary vascular endothelium by A2A receptor mechanism.</i> Circulation 100[18], I-832.1999.
42	Nakamura M, Zhao Z-Q, Clark KL, Velez DV, Guyton RA, Vinten- Johansen J. A novel adenosine analog, AMP579, inhibits neutrophil activation, adherence and neutrophil-mediated injury to coronary vascular endothelium. Eur J Pharmacol. 2000; 397(1): 197-205.
43	Zhao Z-Q, Clark KL, Wang N-P, Velez DA, Guyton RA, Vinten- Johansen J. Comparison of AMP579 and adenosine in inhibition of cell-cell interaction between human neutrophil and vascular endothelial cell. Drug Devel Res 2000; 49: 266-272.
44	Babbitt DG, Virmani R, Forman MB. Intracoronary adenosine administered after reperfusion limits vascular injury after prolonged ischemia in the canine model. Circulation 1989; 80: 1388-1399.

EXAMINER	DATE CONSIDERED
L	

FORM 1449	INFORMATION DISCLOSURE STATEMENT	Docket Number: 14507-53463	Serial Number: 10/562,757
IN AN APPLICATION		Applicant: Jakob Vinten-Johnasen	Date Mailed: September 19, 2006
(Use several sheets if necessary)		Filing Date: 02 July 2004	Group Art Unit: Unassigned

45	Babbitt DG, Virmani R, Vildibill HD, Jr., Norton ED, Forman MB. Intracoronoary adenosine administration during reperfusion following 3 hours of ischemia: effects on infarct size, ventricular
46	function, and regional myocardial blood flow. Am Heart J 1990; 120: 808-818. Schlack W, Schäfer M, Uebing A, Schäfer S, Borchard U, Tamer V. Adenosine A2-receptor activation at reperfusion reduces infarct size and improves myocardial wall function in dog heart. J Cardiovasc Pharmacol 1993; 22: 89-96.
47	Todd JC, Zhao Z-Q, Williams MW, Sato H, Van Wylen DGL, Vinten- Johansen J. Intravascular adenosine at reperfusion reduces infarct size and neutrophil adherence. Ann Thorac Surg 1996; 62: 1364-1372.
48	Hearse DJ, Stewart DA, Braimbridge MV. Cellular protection during myocardial ischemia. The development and characterization of a procedure for the induction of reversible ischemic arrest. Circulation 1976; 54: 193-202.
49	Hudspeth DA, Nakanishi K, Vinten-Johansen J, Zhao Z-Q, McGee DS, Williams MW et al. Adenosine in blood cardioplegia prevents postischemic dysfunction in ischemically injured hearts. Ann Thorac Surg 1994; 58: 1637-1644.
50	Thourani VH, Ronson RS, Van Wylen DGL, Shearer ST, Katzmark SL, Zhao Z-Q et al. Adenosine-supplemented blood cardioplegia attenuates postischemic dysfunction after severe regional ischemia. Circulation 1999; 100 [supplII]:11-376-II-383.
51	Guyton RA, Thourani VH, Puskas JD, Shanewise JS, Steele MA, Palmer-Steele CL et al. <i>Perfusion-assisted direct coronary artery bypass: selective graft perfusion in off-pump cases</i> . Ann Thorac Surg 2000; 69: 171-175.
52	Muraki S, Morris CD, Budde JM, Velez DA, Zhao Z-Q, Guyton RA et al. Experimental off-pump coronary artery revascularization with adenosine enhanced reperfusion. J Thorac Cardiovasc Surg 2001; 121 (3): 570-579.
53	McCarthy RJ, Tuman KJ, O'Connor C, Ivankovich AD. Aprotinin pretreatment diminishes postischemic myocardial contractile dysfunction in dogs. Anesth Analg 1999; 89(5):1096.
54	Buerke Pruefer D, Dahin M, Oelert H, H, Meyer J. Serine protease inhibitor (Aprotinin) attenuates myocardial necrosis and apoptosis following ischaemia and long-term reperfusion in rats. European Heart Journal 20 [P996], 163. 1999.
55	Sunamori M, Sultan I, Suzuki A. Effect of aprotinin to improve myocardial viability in myocardial preservation followed by reperfusion. Ann Thorac Surg 1991; 52:971-978.
56	Gurevitch J, Barak J, Hochhauser E, Paz Y, Yakirevich V. Aprotinin improves myocardial recovery after ischemia and reperfusion. Effects of the drug on isolated rat hearts. J Thorac Cardiovasc Surg 1994; 108:109-118.
57	Lord RA, Roath OS, Thompson JF, Chant ADB, Francis JL. Effect of aprotinin on neutrophil function after major vascular surgery. Br J Surg 1992; 79: 517- 521.
58	Hallett Shandall A, Young HL. Mechanism of protection against "reperfusion injury" by aprotinin. Roles of polymorphonuclear leucocytes and oxygen radicals. 1995; 34 (10): 1757-1761.
59	Buerke M, Weyrich AS, Lefer AM. Isolated cardiac myocytes are sensitized by hypoxia-reoxygenation to neutrophil-released mediators. Am J Physiol 1994; 266:H128-H136.
60	Asimakopoulos G, Lidington EA, Mason JC, Haskard DO, Taylor KM, Landis RC. Effect of aprotinin on endothelial cell activation. Journal Thoracic Cardiovascular Surg 2001; 122(I):123-128.
61	Asimakopoulos G, Kohn A, Stefanou DC, Haskard DO, Landis RC, Taylor KM. Leukocyte integrin expression in patients undergoing cardiopulmonary bypass. The Society of Thoracic Surgeons 2000; 69(4):1192-1197.
62	Asimakopoulos G, Taylor KM, Haskard DO, Landis RC. Inhibition of neutrophil L-selectin shedding: a potential anti-inflammatory effect of aprotinin. Perfusion 2000; 15(6):495-499.
63	Himmelfarb J, Holbrook D, McMonagle E. Effects of Aprotinin on complement and granulocyte activation during ex vivo hemodialysis. Am J of Kidney Diseases 1994; 24 (6): 901-906.

EXAMINER	DATE CONSIDERED

Date Mailed: September 19, 2006

FORM 1449 INFORMATION DISCLOSURE STATEMENT	Docket Number: 14507-53463	Serial Number: 10/562,757
IN AN APPLICATION	Applicant: Jakob Vinten-Johnasen	Date Mailed: September 19, 2006
(Use several sheets if necessary)	Filing Date: 02 July 2004	Group Art Unit: Unassigned

64	Hill GE, Alonso A, Spurzem JR, Stammers AH, Robbins RA. <i>Aprotinin and methylprednisolone equally blunt cardiopulmonary bypass-induced inflammation in humans</i> . J Thorac Cardiovasc Surg 1995; 110:1658-1662:
65	Englberger L, Kipfer B, Berdat PA, Nydegger Carrel TP. Aprotinin in coronary operation with bypass: does"low-dose" aprotinin inhibit the inflammatory response? Ann Thorac Surg 2002; 73(6):1897-1904.
66	Askenazi J, Hillis LD, Diaz PE, Davis MA, Braunwald E, Maroko PR. The effects of hyaluronidase on coronary blood flow following coronary artery occlusion in the dog. AM J Cardiol 1977; 40 (6): 566-571
 67	
68	

Customer No. 24728

EXAMÎNER	DATE CONSIDERED